Form –IV (See rule 13) Annual Report

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the Occupier of Health Care Facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

SI.No	Particulars			
1.	Particulars of the Occupier	:	M/s. ROMA INDUSTRIES	
	(i) Name of the authorized person (occupier or operator of facility)		Mr. T.ANILKUMAR	
	(ii) Name of HCF or CBMWTF	:	M/s ROMA INDUSTRIES	
9	(iii) Address for Correspondence	:	12-225 , Adarsh Nagar Opp. IDPL Colony Quthbullapur, Medchal Dist 500037	
	(i) Address of Facility		Sy. No. 103, Thokkapur Village Bhongir mandal Yadadri Dist.	
	(ii) Tel. No. Fax. No.	:	9391387742, 8897737742	
	(V) E-mail ID		www.romaindustries9@gmail.com	
	(i) URL of Website	:	www.romaindustriesbmw.com	
	(ii) GPS coordinates of HCF of CBMWTF		17.4817043.78.9432857	
	(iii) Ownership of HCF of CBMWTF		Partnership	
	(iv) Status of Authorization under the Bio-Medical Waste (Management and Handing) Rules.	:	Authorization No. TSPCB/HO/RO-NLG/CFO-BMWM/CBMWTF- 2021, Dt. 10-05-2021 Valid up to 30-06-2026	
	(v) Status of Consents under Water Act and Air Act.	:	Valid up to: 30-06-2026	
2.	Type of Health Care Facility			
	(i) Bedded Hospital		No. of Beds : NA	
	(ii) Non-Bedded Hospital		140. Of Deds . 14A	
	(Clinic or Blood Bank or Clinical		NA	
Đ	Laboratory or Research Institute or Veterinary Hospital or any other)			
	(iii) License number and its date of expiry.		NA	
3.	Details if CBMWTF	:	M/s Roma Industries	
	(i) Number healthcare facilities covered by CBMWTF	:	55 in Medchal/Malkajgiri District.	
	(ii) No. of beds covered by CBMWTF		2901 in Medchal/Malkajgiri District.	
	(iii) Installed treatment and disposal capacity of CBMWTF	:	Incinerator 100 Kgs per day	
	(iv) Quantity of biomedical waste treated or disposal by CBMWTF	i	402 Kg/day in in Medchal/Malkajgiri District	
4.	Quantity of waste generated or disposed in Kg per annum (on	:	Yellow category: 8790 Kgs avg per month / 1,05,477 Kgs Per Anum	
_	monthly average basis)	2	Red Category: 2732 Kgs avg per month / 32,787 Kgs Per Anum	
			PPC: 259 Kgs avg per month / 3,108 Kgs Per Anum	
		2	Blue Category: 437 Kgs avg per month / 5,242 Kgs Per Anum	
			General Solid waste Nil	
5	Details of the Storage , treatment, transportation,			
	(i) Details of the on-site storage :	*	Size : 32 X 20	
	facility		Capacity: 20 Tons	
5 × 0 × ×	20 20 E V		Provision of on-site storage : (cold storage or any other provision) NA	
	(ii) Disposal Facilities	•	Type of treatment No Capacity Quantity Equipment of Kg/day treated or	
x- :			Units disposed In Kg per	
124 . 77 . 27 . 17			Annum	
			Incinerators 01 100 Kgs/h 1,05,477 Kgs in 2021	

			Plasma Paralysis	
			Autoclaves 01	100 Ltrs 32,787 Kgs in 2021
			Microwave Hydroclave	
			Shredder 01	75 Kgs/h Auto clave Waste
			Needle tip cutter or destroyer	
			Sharps	Send to T.S.D.F.
			encapsulation or concrete pit	
			Deep Burial pits: Chemical	NA NA
	,		disinfection: Any other treatment equipment:	t
	(iii) Quantity of recyclable wastes sold	:	Red Category (like	plastic, glass etc.)
	to authorized recyclers after treatment in kg per annum.	44 Ta	32,787 Kgs Per Ar	· Carrier Comment of C
	(iv) No of vehicles used for collection and transportation of biomedical waste.	:	2 Nos.	
	(v) Details of incineration ash and ETP sludge generated and disposal during the treatment of wastes in Kg per annum)		Quantity Generated Incineration Ash	Where disposal 20 Tones Send to TSDF
	wastes in hig per annum)		ETP Sludge	01 Tones Send to TSDF
Đ	(vi) Name of the Common Bio- Medical Waste Treatment Facility Operator through which wastes are disposed of	:	M/s Roma Industrie	E Toxodan A. Y.
	(vii) List of member HCF not handed over bio-medical waste.	:	, d X ₂	
6.	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period.	;		
7.	Detail trainings conducted on BMW			
er 1 %	(i) Number of training conducted on BMW Management.	,	25	a n
	(ii) Number of personnel trained		171	
	(iii) Number of personnel trained at the time of induction		24	a with a second
	(iv) Number of personnel not undergone any training so far.		Nil	was the same
	(v) Whether standard manual for training is available? (vi) Any other information)		Yes	
8 *				
8. *	Details of the accident occurred during the year (i) Number of Accidents occurred		Nil	
	(ii) Number of the persons affected		Nil	
), te 1 /	(iii) Remedial Action taken (Please		Nil	
	attach details if any) (iv) Any Fatality occurred, details.		Nil	
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		Yes	2
	the standards!		CEMS Connected	

	monitoring systems installed	
10.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year.	NA
11.	It the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	Yes as per log-IV
12.	Any other relevant information	Air Pollution Control Device attached with the incinerator

Certified that the above report is for the period from January'2021 to December'2021 in Medchal/Malkajgiri District.

Name and Signature of the Head of the Institution

Date: 25-05-2022

Place: Medchal/Malkajgiri

T.ANIL KUMAR
Managing Partner