Form –IV (See rule 13) Annual Report

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the Occupier of Health Care Facility (HCF) or common biomedical waste treatment facility (CBWTF)]

SI.No	Particulars		· ·		
1.	Particulars of the Occupier	:	M/s. ROMA INDUSTRIES		
	(i) Name of the authorized person (occupier or operator of facility)	:	Mr. T.ANILKUMAR		
	(ii) Name of HCF or CBMWTF		M/s ROMA INDUSTRIES		
	(iii) Address for Correspondence	:	12-225 , Adarsh Nagar Opp. IDPL Colony Quthbullapur, Medchal Dist 500037		
	(i) Address of Facility		Sy. No. 103, Thokkapur Village Bhongir mandal Yadadri Dist.		
	(ii) Tel. No. Fax. No.		9391387742, 8897737742		
	(V) E-mail ID		www.romaindustries9@gmail.com		
	(i) URL of Website		www.romaindustriesbmw.com		
	(ii) GPS coordinates of HCF of CBMWTF	•	17.4817043.78.9432857		
Î	(iii) Ownership of HCF of CBMWTF		Partnership		
	(iv) Status of Authorization under the Bio-Medical Waste (Management and Handing) Rules.	:	Authorization No. TSPCB/HO/RO-NLG/CFO-BMWM/CBMWTF- 2021, Dt. 10-05-2021 Valid up to 30-06-2026		
	(v) Status of Consents under Water Act and Air Act.	·	Valid up to: 30-06-2026		
2.	Type of Health Care Facility	:	3 2 118 13		
	(i) Bedded Hospital	:	No. of Beds : NA		
	(ii) Non-Bedded Hospital		No. of Beds . W.		
	(Clinic or Blood Bank or Clinical Laboratory or Research Institute or	*	NA		
	Veterinary Hospital or any other) (iii) License number and its date of expiry.	:	NA		
3.	Details if CBMWTF		M/s Roma Industries		
3.	(i) Number healthcare facilities covered by CBMWTF	:	151 In Suryapet District.		
	(ii) No. of beds covered by CBMWTF		1824 In Suryapet District		
	(iii) Installed treatment and disposal capacity of CBMWTF	:	Incinerator 100 Kgs per day		
	(iv) Quantity of biomedical waste treated or disposal by CBMWTF	:	144 Kg/day in In Suryapet District		
4.	Quantity of waste generated or disposed in Kg per annum (on	:	Yellow category: 3145 Kgs avg per month / 37736 Kgs Per Anum		
	monthly average basis)	, ,	Red Category: 1048 Kgs per month / 12578 Kgs per Anum		
			PPC: 98 Kgs per month / 1170 Kgs Per Anum		
			Blue Category: 91 Kgs avg per month / 1088 Kgs Per Anum		
_			General Solid waste Nil		
5.	Details of the Storage , treatment, transportation, (i) Details of the on-site storage : facility				
			Size : 32 X 20 Capacity: 20 Tons Proving of an site storage : (add storage or		
			Provision of on-site storage : (cold storage or any other provision) NA		
	(ii) Disposal Facilities	:	Type of treatment No Capacity Quantity Equipment of Kg/day treated or		
			Units disposed In Kg per		
			Annum Incinerators 01 100 Kgs/h 37736 Kgs in 2020		

			Plasma Paralysi Autoclaves	o1	100 Ltrs	12578 Kgs in 2020
			Microwave Hydroclave Shredder	01	75 Kgs/h	Auto clave Waste
			Needle tip cutte destroyer Sharps	r or	Send to T	S.D.F.
			encapsulation of concrete pit Deep Burial pits Chemical disinfection: Any other treating equipment:	s: ment	N/ N/ 	A
2 0 2	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	Red Category (12578 Kgs Pe			etc.)
	(iv) No of vehicles used for collection and transportation of biomedical waste.	: "	2 Nos.			amino af ing f
	(v) Details of incineration ash and ETP sludge generated and disposal during the treatment of wastes in Kg per annum)		Quantity Gene Incineration Ash ETP Sludge	20 T	Whones Tone	ere disposal Send to TSDF Send to TSDF
	(vi) Name of the Common Bio- Medical Waste Treatment Facility Operator through which wastes are disposed of	:	M/s Roma Ind	lustries	, · _ <u>v</u> ·	a 18 vin este.
	(vii) List of member HCF not handed over bio-medical waste.	:		i		To se
6.	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period.	:			ا الله الله الله الله الله الله الله ال	(30 to 14)
7.	Detail trainings conducted on BMW		35	***		
	(i) Number of training conducted on BMW Management.		200		I I II II	2012 occioner no mile
	(ii) Number of personnel trained (iii) Number of personnel trained at		29			
	(iii) Number of personnel trained at the time of induction (iv) Number of personnel not		Nil			
	undergone any training so far. (v) Whether standard manual for		Yes	12	1 7 d s	- produce 1 - 44
	training is available ? (vi) Any other information)				18.7	
8.	Details of the accident occurred during the year					
	(i) Number of Accidents occurred		Nil			
	(ii) Number of the persons affected		Nil	•	= =	XX = = = (12
	(iii) Remedial Action taken (Please attach details if any)		Nil			
	(iv) Any Fatality occurred, details.	r	1411		- 1 - 15 - 1	- in a cally manager (-)
9.	Are you meeting the standards of ai Pollution from the incinerator?. How many times in last year could not me the standards?	t	Yes		7 - 10 s	
	Details of Continuous online emission	n	CEMS Conr	nected	to T.S.P.C.	B and C.P.C.B.

	monitoring systems installed	3 1	•
10.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year.	·,	NA
11.	It the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		Yes as per log-IV
12.	Any other relevant information		Air Pollution Control Device attached with the incinerator

Certified that the above report is for the period from January 2020 to December 2020 in Suryapet District.

RON

Name and Signature of the Head of the Institution

T.ANIL KUMAR
Managing Partner