## Form –IV (See rule 13) Annual Report

[To be submitted to the prescribed authority on or before 30<sup>th</sup> June every year for the period from January to December of the preceding year, by the Occupier of Health Care Facility (HCF) or common biomedical waste treatment facility (CBWTF)]

SI.No	Particulars		
1.	Particulars of the Occupier	:	M/s. ROMA INDUSTRIES
	(i) Name of the authorized person	:	Mr. T.ANILKUMAR
	(occupier or operator of facility)		
	(ii) Name of HCF or CBMWTF	(*) (*)	M/s ROMA INDUSTRIES
	(iii) Address for Correspondence	:	12-225 , Adarsh Nagar Opp. IDPL Colony Quthbullapur, Medchal Dist 500037
	(i) Address of Facility		Sy. No. 103, Thokkapur Village Bhongir mandal Yadadri Dist.
	(ii) Tel. No. Fax. No.		9391387742, 8897737742
	(V) E-mail ID		www.romaindustries9@gmail.com
	(i) URL of Website	·	www.romaindustriesbmw.com
	(ii) GPS coordinates of HCF of CBMWTF		17.4817043.78.9432857
21	(iii) Ownership of HCF of CBMWTF		Partnership
	(iv) Status of Authorization under		Authorization No.
	the Bio-Medical Waste (Management and Handing)		TSPCB/HO/RO-NLG/CFO-BMWM/CBMWTF- 2021, Dt. 10-05-2021
	Rules.		Valid up to 30-06-2026
	(v) Status of Consents under Water Act and Air Act.	•	Valid up to: 30-06-2026
2			
2.	Type of Health Care Facility  (i) Bedded Hospital		No. of Beds : NA
			No. of Beas . NA
	(ii) Non-Bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or	•	NA .
	Veterinary Hospital or any other)		7. 2 7. 2
7	(iii) License number and its date of expiry.	:	NA
3. °	Details if CBMWTF	:	M/s Roma Industries
	(i) Number healthcare facilities covered by CBMWTF		200 In Suryapet District.
	(ii) No. of beds covered by CBMWTF	:	2426 In Suryapet District
le T	(iii) Installed treatment and disposal capacity of CBMWTF	:	Incinerator 100 Kgs per day
	(iv) Quantity of biomedical waste treated or disposal by CBMWTF	:	138 Kg/day in In Suryapet District
4.	Quantity of waste generated or disposed in Kg per annum (on	:	Yellow category: 3007 Kgs avg per month / 36085 Kgs Per Anum
	monthly average basis)	#9	Red Category: 1080 Kgs per month / 12965 Kgs per Anum
610		7.	PPC: 59 Kgs per month / 706 Kgs Per Anum
			Blue Category: 52 Kgs avg per month / 628 Kgs Per Anum
	A		General Solid waste Nil
5.	Details of the Storage , treatment, tran	sportation	n, processing and Disposal Facility
	(i) Details of the on-site storage		Size : 32 X 20
	facility		Capacity: 20 Tons
		4	Provision of on-site storage : (cold storage or any other provision) NA
in is	(ii) Disposal Facilities	:	Type of treatment No Capacity Quantity Equipment of Kg/day treated or Units disposed In Kg per
			Annum
			Incinerators 01 100 Kgs/h 36085 Kgs in 2021

			Plasma Paralysis
			Autoclaves 01 100 Ltrs 12965 Kgs in 2021
			Microwave Hydroclave Shredder 01 75 Kgs/h Auto clave Waste
			Needle tip cutter or destroyer
			Sharps Send to T.S.D.F.
		-	encapsulation or concrete pit Deep Burial pits: NA Chemical NA disinfection: Any other treatment equipment:
	(iii) Quantity of recyclable wastes sold	•	Red Category (like plastic, glass etc.)
	to authorized recyclers after treatment in kg per annum.	.5)	12965 Kgs Per Anum
	(iv) No of vehicles used for collection and transportation of biomedical waste.		2 Nos.
	(v) Details of incineration ash and ETP sludge generated and		Quantity Generated Where disposal
	disposal during the treatment of wastes in Kg per annum)		Incineration 2 Tons Send to TSDF Ash
	(vi) Name of the Common Die		ETP Sludge 1 Ton Send to TSDF
	(vi) Name of the Common Bio- Medical Waste Treatment Facility Operator through which wastes are disposed of	:	M/s Roma Industries
	(vii) List of member HCF not handed over bio-medical waste.	:	
6.	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period.	•	
7.	Detail trainings conducted on BMW	70	
	(i) Number of training conducted on BMW Management.		39
	(ii) Number of personnel trained		210
	(iii) Number of personnel trained at the time of induction  (iv) Number of personnel not		Nil
	undergone any training so far.		*
	(v) Whether standard manual for training is available? (vi) Any other information)		Yes
8.	Details of the accident occurred		
0.	during the year  (i) Number of Accidents occurred		Nil
	(ii) Number of the persons affected		Nil
	(iii) Remedial Action taken (Please attach details if any)		Nil
	(iv) Any Fatality occurred, details.		Nil
9.	Are you meeting the standards of air Pollution from the incinerator?. How many times in last year could not met the standards?	n	Yes
	Details of Continuous online emission monitoring systems installed		CEMS Connected to T.S.P.C.B and C.P.C.B.

10.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year.	te	NA
11.	It the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		Yes as per log-IV
12.	Any other relevant information		Air Pollution Control Device attached with the incinerator

Certified that the above report is for the period from January 2021 to December 2021 in Suryapet District.

Date: 25.05.2022

Place: Suryapet

Name and Signature of the Head of the Institution

T.ANIL KUMAR
Managing Partner