Form –IV (See rule 13) Annual Report

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the Occupier of Health Care Facility (HCF) or common biomedical waste treatment facility (CBWTF)]

SI.No	Particulars				
1.	Particulars of the Occupier	:	M/s. ROMA INDUSTRIES		
	(i) Name of the authorized person (occupier or operator of facility)		Mr. T.ANILKUMAR		
	(ii) Name of HCF or CBMWTF	:	M/s ROMA INDUSTRIES		
	(iii) Address for Correspondence	:	12-225 , Adarsh Nagar Opp. IDPL Colony Quthbullapur, Medchal Dist 500037		
	(i) Address of Facility		Sy. No. 103, Thokkapur Village Bhongir mandal Yadadri Dist.		
	(ii) Tel. No. Fax. No.	:	9391387742, 8897737742		
	(V) E-mail ID	:	www.romaindustries9@gmail.com		
	(i) URL of Website	:	www.romaindustriesbmw.com		
	(ii) GPS coordinates of HCF of CBMWTF		17.4817043.78.9432857		
	(iii) Ownership of HCF of CBMWTF		Partnership		
	(iv) Status of Authorization under the	:	Authorization No.		
	Bio-Medical Waste (Management and Handing) Rules.	= ,	TSPCB/HO/RO-NLG/CFO-BMWM/CBMWTF- 2021, Dt. 10-05-2021		
	and Handing/ Italios.		Valid up to 30-06-2026		
0	(v) Status of Consents under Water Act and Air Act.	:	Valid up to: 30-06-2026		
2.	Type of Health Care Facility				
۷.	(i) Bedded Hospital		No. of Beds : NA		
	(ii) Non-Bedded Hospital		THO. OF BOOK 110 V		
	(Clinic or Blood Bank or Clinical		NA .		
	Laboratory or Research Institute or				
	Veterinary Hospital or any other)		TO THE PARTY OF TH		
	(iii) License number and its date of expiry.	:	NA		
3.	Details if CBMWTF		M/s Roma Industries		
<u>. </u>	(i) Number healthcare facilities covered by CBMWTF		78 in Yadadri District.		
	(ii) No. of beds covered by CBMWTF	:	681 in Yadadri District.		
	(iii) Installed treatment and disposal capacity of CBMWTF	;	Incinerator 100 Kgs per day		
	(iv) Quantity of biomedical waste treated or disposal by CBMWTF	:	91 Kg/day in Yadadri District.		
4.	Quantity of waste generated or disposed in Kg per annum (on	:	Yellow category: 1839 Kgs avg per month / 22060 Kgs Per Anum		
P	monthly average basis)		Red Category: 822 Kgs per month / 9875 Kgs per Anum		
			PPC: 41 Kgs per month / 494 Kgs Per Anum		
			Blue Category: 44 Kgs avg per month / 522 Kgs Per Anum		
5.	Details of the Storage , treatment, trans	enortation			
5.	The state of the s		Size : 32 X 20		
	(i) Details of the on-site storage facility	,			
	lacility		Capacity: 20 Tons		
	80, 20		Provision of on-site storage : (cold storage o		
10 10	(1) D	V	any other provision) NA		
	(ii) Disposal Facilities	:	Type of treatment No Capacity Quantity Equipment of Kg/day treated or Units disposed		
2 (1a)	A Property of the Control of the Con		In Kg per		
			Incinerators 01 100 Kgs/h 22060 Kgs in 2021		

Т		T	Plasma Paralysi	2		A
	n n		Autoclaves	01	100 Ltrs	9875 Kgs in 2021
•			Microwave Hydroclave	04	75 V /b	Auto alava
			Shredder	01	75 Kgs/n	Auto clave Waste
			Needle tip cutter destroyer	or		
			Sharps		Send to T	.S.D.F.
			encapsulation or concrete pit			
			Deep Burial pits Chemical disinfection:		NA NA	
			Any other treatmequipment:			
	(iii) Quantity of recyclable wastes sold	:	Red Category (I	ke pla	stic, glass e	etc.)
	to authorized recyclers after treatment in kg per annum.		9875 Kgs Per /	Anum		
•	(iv) No of vehicles used for collection and transportation of biomedical waste.	:	2 Nos			
	(v) Details of incineration ash and		Quantity Genera	ated	Whe	ere disposal
	ETP sludge generated and disposal during the treatment of wastes in Kg per annum)		Incineration Ash	20 7	Tones S	end to TSDF
			ETP Sludge	1	Tone Se	end to TSDF
	(vi) Name of the Common Bio- Medical Waste Treatment Facility Operator through which wastes are disposed of	:	M/s Roma Indu	stries		
	(vii) List of member HCF not handed over bio-medical waste.	:				:
6.	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period.	:				
7.	Detail trainings conducted on BMW					To
er P	(i) Number of training conducted on BMW Management.		21			1494 - \$ x 1 5 14
	(ii) Number of personnel trained		133			
•	(iii) Number of personnel trained at the time of induction		28		· ·	
	(iv) Number of personnel not undergone any training so far.		Nil			117 - 2 2
1,0 3 60	(v) Whether standard manual for training is available?		Yes		<u> </u>	
8.	(vi) Any other information) Details of the accident occurred		*			
	during the year (i) Number of Accidents occurred		Nil	\$ E	E	00 00 000 00000000
	(ii) Number of the persons affected		Nil			
	(iii) Remedial Action taken (Please		Nil			
	attach details if any) (iv) Any Fatality occurred, details.		Nil			Associate
9.	Are you meeting the standards of air Pollution from the incinerator?. How many times in last year could not met		Yes		<	#10 = 224 #101
e uros n	the standards? Details of Continuous online emission		CEMS Connec	ted to	TSPCB	and C.P.C.B.

	monitoring systems installed	
10.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year.	NA
11.	It the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	Yes as per log-IV
12.	Any other relevant information	Air Pollution Control Device attached with the incinerator

Certified that the above report is for the period from January 2021 to December 2021 in Yadadri District.

Name and Signature of the Head of the Institution

Date: 25.05.2022 Place: Yadadri

T.ANIL KUMAR
Managing Partner