## Form –IV (See rule 13) Annual Report

[To be submitted to the prescribed authority on or before 30<sup>th</sup> June every year for the period from January to December of the preceding year, by the Occupier of Health Care Facility (HCF) or common biomedical waste treatment facility (CBWTF)]

SI.No	Particulars		
1.	Particulars of the Occupier	:	M/s. ROMA INDUSTRIES
	(i) Name of the authorized person (occupier or operator of facility)	:	Mr. T.ANILKUMAR
	(ii) Name of HCF or CBMWTF	:	M/s ROMA INDUSTRIES
	(iii) Address for Correspondence		12-225 , Adarsh Nagar Opp. IDPL Colony
			Quthbullapur, Medchal Dist 500037
	(i) Address of Facility		Sy. No. 103, Thokkapur Village Bhongir mandal Yadadri Dist.
	(ii) Tel. No. Fax. No.	:	9391387742, 8897737742
	(V) E-mail ID	1	www.romaindustries9@gmail.com
	(i) URL of Website	:	www.romaindustriesbmw.com
	(ii) GPS coordinates of HCF of CBMWTF		17.4817043.78.9432857
	(iii) Ownership of HCF of CBMWTF		Partnership
	(iv) Status of Authorization under the		Authorization No.
	Bio-Medical Waste (Management and Handing) Rules.		TSPCB/HO/RO-NLG/CFO-BMWM/CBMWTF- 2021, Dt. 10-05-2021 Valid up to 30-06-2026
	(v) Status of Consents under Water Act and Air Act.	;	Valid up to: 30-06-2026
2.	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds : NA
	(ii) Non-Bedded Hospital	:	2-4-1
	(Clinic or Blood Bank or Clinical		NA .
	Laboratory or Research Institute or Veterinary Hospital or any other)		
	(iii) License number and its date of expiry.	:	NA
3.	Details if CBMWTF		M/s Roma Industries
J.	(i) Number healthcare facilities	i :	W/S Roma moustries
	covered by CBMWTF		66 in Ranga Reddy District.
	(ii) No. of beds covered by CBMWTF	:	1291 in Ranga Reddy District.
	(iii) Installed treatment and disposal capacity of CBMWTF	:	Incinerator 100 Kgs per day
	(iv) Quantity of biomedical waste treated or disposal by CBMWTF	:	87 Kg/day in Ranga Reddy District.
4.	Quantity of waste generated or disposed in Kg per annum (on	:	Yellow category: 2010 Kgs avg per month / 24,126 Kgs Per Anum
	monthly average basis)		Red Category: 570 Kgs avg per month / 6,848 Kgs Per Anum
			PPC: 23 Kgs avg per month / 275 Kgs Per Anum
			Blue Category: 29 Kgs avg per month / 355 Kgs Per Anum
			General Solid waste Nil
5.	Details of the Storage , treatment, trans	nortation	
5.	(i) Details of the on-site storage		Size : 32 X 20
	facility		Capacity: 20 Tons
			Provision of on-site storage : (cold storage or any other provision) NA
	(ii) Disposal Facilities	:	Type of treatment No Capacity Quantity Equipment of Kg/day treated or Units disposed In Kg per Annum
			Incinerators 01 100 Kgs/h 24,126 Kgs in 2022

_			Plasma Paralysis
			Autoclaves 01 100 Ltrs 6,848 Kgs in 2022
			Microwave Hydroclave
	>r:		Shredder 01 75 Kgs/h Auto clave Waste
			Needle tip cutter or destroyer
			Sharps Send to T.S.D.F.
			encapsulation or concrete pit
			Deep Burial pits: NA Chemical NA disinfection: Any other treatment
	(iii) Quantity of recyclable wastes sold		equipment:  Red Category (like plastic, glass etc.)
	to authorized recyclers after treatment in kg per annum.	,	6,848 Kgs Per Anum
	(iv) No of vehicles used for collection and transportation of biomedical waste.	:	2 Nos.
	(v) Details of incineration ash and		Quantity Generated Where disposal
	ETP sludge generated and disposal during the treatment of wastes in Kg per annum)		Incineration 6 Tones Send to TSDF Ash ETB Studge F52 Kgs Send to TSDF
	(vi) Name of the Common Bio-		ETP Sludge 552 Kgs Send to TSDF
	Medical Waste Treatment Facility Operator through which wastes are disposed of		M/s Roma Industries
	(vii) List of member HCF not handed over bio-medical waste.	:	
6.	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period.	:	
7.	Detail trainings conducted on BMW		
	(i) Number of training conducted on BMW Management.		29
	(ii) Number of personnel trained		302
	(iii) Number of personnel trained at the time of induction		36
	(iv) Number of personnel not undergone any training so far.		Nil
	(v) Whether standard manual for training is available?		Yes
	(vi) Any other information)		
8.	Details of the accident occurred during the year		
	(i) Number of Accidents occurred		Nil
	(ii) Number of the persons affected		Nil
	(iii) Remedial Action taken (Please attach details if any)		Nil
	(iv) Any Fatality occurred, details.		Nil
9.	Are you meeting the standards of air Pollution from the incinerator?. How many times in last year could not met the standards?		Yes
	Details of Continuous online emission		CEMS Connected to T.S.P.C.B and C.P.C.B.

	monitoring systems installed	
10.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year.	NA
11.	It the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	Yes as per log-IV
12.	Any other relevant information	Air Pollution Control Device attached with the incinerator

Certified that the above report is for the period from January' 2022 to December' 2022 in Ranga Reddy Dist.

## Name and Signature of the Head of the Institution

Date: 03.06.2023 Place: Ranga Reddy.

T. ANIL KUMAR Managing Partner