

**Form –IV**  
**(See rule 13)**  
**Annual Report**

[To be submitted to the prescribed authority on or before 30<sup>th</sup> June every year for the period from January to December of the preceding year, by the Occupier of Health Care Facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl.No	Particulars		
1.	Particulars of the Occupier	:	M/s. ROMA INDUSTRIES
	(i) Name of the authorized person (occupier or operator of facility)	:	Mr. T.ANILKUMAR
	(ii) Name of HCF or CBMWTF	:	M/s ROMA INDUSTRIES
	(iii) Address for Correspondence	:	12-225 , Adarsh Nagar Opp. IDPL Colony Quthbullapur, Medchal Dist.- 500037
	(i) Address of Facility		Sy. No. 103, Thokkapur Village Bhongir mandal Yadadri Dist.
	(ii) Tel. No. Fax. No.	:	9391387742, 8897737742
	(V) E-mail ID	:	<a href="mailto:www.romaindustries9@gmail.com">www.romaindustries9@gmail.com</a>
	(i) URL of Website	:	<a href="http://www.romaindustriesbmw.com">www.romaindustriesbmw.com</a>
	(ii) GPS coordinates of HCF of CBMWTF		17.4817043.78.9432857
	(iii) Ownership of HCF of CBMWTF		Partnership
	(iv) Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules.	:	Authorization No. TSPCB/HO/RO-NLG/CFO-BMWM/CBMWTF-2021, Dt. 10-05-2021 Valid up to 30-06-2026
	(v) Status of Consents under Water Act and Air Act.	:	Valid up to: 30-06-2026
2.	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds : NA
	(ii) Non-Bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	NA
	(iii) License number and its date of expiry.	:	NA
3.	Details if CBMWTF	:	M/s Roma Industries
	(i) Number healthcare facilities covered by CBMWTF	:	09 in Hyderabad District.
	(ii) No. of beds covered by CBMWTF	:	425 in Hyderabad District.
	(iii) Installed treatment and disposal capacity of CBMWTF	:	Incinerator 100 Kgs per day
	(iv) Quantity of biomedical waste treated or disposal by CBMWTF	:	107 Kg/day in in Hyderabad District.
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow category: 2100 Kgs avg per month / 25,200 Kgs Per Anum Red Category: 900 Kgs avg per month / 10,800 Kgs Per Anum PPC: 120 Kgs avg per month / 1440 Kgs Per Anum Blue Category: 90 Kgs avg per month / 1080 Kgs Per Anum General Solid waste Nil
5.	Details of the Storage , treatment, transportation, processing and Disposal Facility		
	(i) Details of the on-site storage facility	:	Size : 32 X 20 Capacity: 20 Tons Provision of on-site storage : (cold storage or any other provision) NA
	(ii) Disposal Facilities	:	Type of treatment No Capacity Quantity Equipment of Kg/day treated or Units disposed In Kg per Annum Incinerators 01 100 Kgs/h 25,200 Kgs in 2020



			Plasma Paralysis Autoclaves 01 100 Ltrs 10,800 Kgs in 2020
			Microwave Hydroclave Shredder 01 75 Kgs/h Autoclave Waste
			Needle tip cutter or destroyer Sharps --- Send to T.S.D.F.
			encapsulation or concrete pit --- Deep Burial pits: NA Chemical disinfection: NA Any other treatment equipment: ---
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	Red Category (like plastic, glass etc.) 4320 Kgs Per Annum
	(iv) No of vehicles used for collection and transportation of biomedical waste.	:	2 Nos.
	(v) Details of incineration ash and ETP sludge generated and disposal during the treatment of wastes in Kg per annum)		Quantity Generated Where disposal Incineration 900 Kgs Send to TSDF Ash ETP Sludge 200 Kgs Send to TSDF
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	:	M/s Roma Industries
	(vii) List of member HCF not handed over bio-medical waste.	:	
6.	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period.	:	----
7.	Detail trainings conducted on BMW		
	(i) Number of training conducted on BMW Management.		06
	(ii) Number of personnel trained		50
	(iii) Number of personnel trained at the time of induction		20
	(iv) Number of personnel not undergone any training so far.		Nil
	(v) Whether standard manual for training is available ?		Yes
	(vi) Any other information)		
8.	Details of the accident occurred during the year		
	(i) Number of Accidents occurred		Nil
	(ii) Number of the persons affected		Nil
	(iii) Remedial Action taken (Please attach details if any)		Nil
	(iv) Any Fatality occurred, details.		Nil
9.	Are you meeting the standards of air Pollution from the incinerator?. How many times in last year could not met the standards?		Yes
	Details of Continuous online		CEMS Connected to T.S.P.C.B and C.P.C.B.

	emission monitoring systems installed		
10.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year.		NA
11.	It the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		Yes as per log-IV
12.	Any other relevant information		Air Pollution Control Device attached with the incinerator

Certified that the above report is for the period from January'2020 to December'2020 in Hyderabad District.

**Name and Signature of the Head of the Institution**



*[Handwritten Signature]*

**T.ANIL KUMAR**  
Managing Partner

**Date: 14.06.2021**  
**Place: Hyderabad**